



HAMILTON



AB 079

TEST REPORT NO 691029/26/GDY

Client ZENYTH PHARMACEUTICAL SRL str. Petru Rares 50 A C 617508 Bistrita ordered by: J.S. HAMILTON ROMANIA SRL Street Sfântul Iosif, Number 7 307160 Dumbravita		Sample (according to declaration of Client) Sample description: PRODUS FINIT SUPLIM.ALIM.: MAGNESIUM BISGLYCINATE- CAPSULE Data recoltarii: 27.07.2026 Ora recoltarii: 11:00 Numar lot: B2007 Data expirarii: 19.07.2028 Cantitate recoltata: 2 x 104.68 g Cantitate receptionata: 2 x 104.68 g Data receptiei probei in Laboratorul din Romania: 27.07.2026 Ora receptiei probei: 12:00 Data inregistrarii probei: 27.07.2026 Temperatura probei la receptie: 10 °C Responsabil prelevare: XXXXXXXXXX Nr comanda client/ Data comanda client: 060/ 27.07.2026
Sample reception date	28.07.2026	Sample number: 691002/26/BUC Sample status: no objections Sample received from the Client
Start of analysis	28.07.2026	
End of analysis	05.08.2026	
Test report date	05.08.2026	

Test Method	Unit	Result
* Aerobic colony count at 30°C PN-EN ISO 4833-1:2013-12; PN-EN ISO 4833-1:2013-12/A1:2022-06	cfu/g	<1,0x10 ¹
* Number of yeasts and moulds at 25°C PN-ISO 21527-2:2009 (withdrawn)	cfu/g	<1,0x10 ¹
* Number of coliforms at 37°C PN-ISO 4832:2007	cfu/g	<1,0x10 ¹
* Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	in 25 g	Not detected
* Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	in 1 g	Not detected
* Presence of Escherichia coli in 1 g PN-ISO 7251:2006	in 1 g	Not detected
* Content of elements PN-EN 15763:2010		
Lead (Pb)	mg/kg	< 0,010
Arsenic (As)	mg/kg	< 0,010
Cadmium (Cd)	mg/kg	< 0,0010
Mercury (Hg)	mg/kg	< 0,0010
* Moisture PB-285 ed. I of 26.09.2014 p. 1	g/100 g	1,0 ± 0,0



HAMILTON

FOSFA
INTERNATIONAL



TEST REPORT NO 691029/26/GDY

Test report authorized by:

ID: 106, Analysis Expert, Microbiology Laboratory

ID: 295, Analysis Expert, Spectrometry Laboratory

ID: 346, Analysis Expert, Authorization Section

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:

Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received and tested. The laboratory assumes no responsibility for the method of sample collection, the conditions of their transport, or for the information provided by the Client, including data that may affect the validity of the test results. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor $k=2$ at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If no criterion for a given test or tests in the analyzed matrix has been specified in the reference document indicated by the Client, confirmation of compliance is not possible. If the "result" column contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the method. If an expanded measurement uncertainty is given for such a test outcome, it relates only to the lower or upper limit of the measuring range of the method, respectively. In the case where the Laboratory base on the obtained test outcome, "statement of conformity" column presents an opinion and interpretation. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited

Test performed by external provider

THE END OF THE REPORT