TEST REPORT

26081202_EN

Customer	ZENYTH PHARMACEUTICALS SRL	**Date of production**	14.07.2026
		Expiry date	13.07.2029
		Sample reception date	29.07.2026
		Start of analysis	30.07.2026
		End of analysis	11.08.2026
Sample name	Magnesium bisglycinate powder fully reacted 11.5%	**Test report date**	12.08.2026
Batch	26070401	**Analysis ID**	A459B

Scope of analysis

Determination of degree of chelation, determination of nitrogen and magnesium content, examination of purity and determination of identity of impurities.

Summary of analysis

All results confirm the high purity of the tested sample.

FT-IR and NMR spectra indicate effective chelation of magnesium by glycine, while the good solubility of the product confirms proper synthesis.

In addition, no free glycine was detected in the product. The obtained results are in close agreement with the theoretical values.

Initial evaluation of the sample

Color: white with no impurities visible

Smell: No distinctive odor was present

Qualitative and quantitative analysis of soluble/insoluble fraction

Weight analysis (NA)²

Results:

The sample was highly soluble in water (1-10 w/w%) and insoluble in water and acetone. After some time, a typical magnesium carbonate precipitate appeared by reacting with carbon dioxide from the air.

Comments :

Magnesium bisglycinate should be soluble in water. The result indicates the absence of insoluble forms of magnesium such as oxide, hydroxide or carbonate. The results obtained do not indicate the presence of any additional water insoluble substances in the sample.

Magnesium content analysis

Complexometric titration (NA)[2]

Results:

%Mg = 11,53% +/- 0.29

%Mg = 13.89% +/- 0.35 (calculated on dry masses)

Comments :

The magnesium content in magnesium bisglycinate, calculated based on molar mass, is 11.67% for the dihydrate form and 14.10% for the anhydrous form. The result obtained for the analyzed sample is slightly lower than the theoretical value.

Additionally, a loss on drying (LOD) test was performed, yielding a value of 16.991%. The theoretical water content of magnesium bisglycinate dihydrate is 17.22%. The close agreement between the experimental and theoretical values indicates that the tested material predominantly corresponds to the dihydrate form and no evidence of additional non-crystallized (free) water.

Glycine content analysis

Kjeldah method (A)[1] (EX)[2]

Results:

%N = 13.31 +/- 0.67

%N = 16.03 +/- 0.80 (calculated on dry masses)

Comments :

The nitrogen content in magnesium bisglycinate, calculated based on molar mass, is 16.25% for the anhydrous form and 13.44% for the dihydrate form. The nitrogen content is close accrued to the theoretical value for the dihydrate salt as well as for the anhydrous form.

This result, showing a close correlation to the nitrogen theoretical excludes the presence of free glycine in the product.

Confirmation of identity and chelation degree

FT-IR spectroscopy (NA)[2]

Results:

The spectrum analysis concludes:

1) The identity of magnesium bisglycinate is confirmed.


2) The absence of additional bands indicates no impurities present.

3) **The changes in the bands described below provide evidence of glycine fully chelating to the magnesium ion.**

Comments:

This method enables the analysis and verification of identity and content for a variety of organic and some inorganic compounds. It is a standard procedure used to detect the presence of a compound in a sample by studying the occurrence of bands that are characteristic of that compound. The absence of additional bands suggests that there are no organic impurities present. Chelation is indicated by visible bands observed during this analysis.

The mathematical correlation to pure glycine is only 73,9% which confirms the chelation of magnesium.



Purity and identity testing


H[1]- NMR spectroscopy (NA)[2] (EX)[3]

Results:

No organic impurities were found

Comments:

Analysis of the NMR spectrum confirms the identity of the tested compounds and identifies potential impurities. The spectrum verifies the presence of glycine ions and excludes other organic compounds. There are four signals on the spectrum shown: one from glycine (3.310) and one from water as hydrate present in salt (4.790). Analysis of the spectrum indicates the high purity of the test sample and none of organic impurities added.



Parameters

	Parameter	Value
1	Title	
2	Comment	66345-1H O1
3	Owner	felix
4	Solvent	D2O
5	Temperature	298.1
6	Pulse Sequence	zg30
7	Experiment	1D
8	Number of Scans	16
9	Receiver Gain	200.0
10	Relaxation Delay	0.0000
11	Pulse Width	13.6000
12	Acquisition Time	3.5001
13	Acquisition Date	2026-08-06T14:46:06
14	Spectrometer Frequency	300.20
15	Spectral Width	6009.6
16	Lowest Frequency	-1126.2
17	Nucleus	1H
18	Acquired Size	21034
19	Spectral Size	65536

EX[1]-external laboratory subcontracting

A[2]-accredited method

NA[3]-non accredited method

All information obtained during our collaboration with clients—including sample composition, technological characteristics, and analysis results—is protected by a confidentiality clause. The laboratory will not share research results with third parties without prior written consent from the client. For research and development projects, a separate confidentiality agreement (NDA) may be signed.

Samples provided for analysis are stored according to internal procedures. The standard storage duration for biological and chemical materials after analysis is **14 days**, unless another agreement has been made. After this period, the samples will be disposed of following health, safety, and environmental protection regulations.

In compliance with Regulation (EU) 2016/679 of the European Parliament and of the Council dated April 27, 2016 (GDPR), the CBSF laboratory processes personal data only for purposes related to research services, maintaining technical documentation, and managing administrative and financial settlements. This data is stored securely and is not shared with third parties without the client's consent. Each client has the right to access and correct their data.

The results presented in this report represent the entire analysis conducted by the CBSF Laboratory. **Quoting parts of this report, copying, modifying, or presenting fragments out of context in a manner that could lead to misinterpretation or compromise the integrity of the study is strictly prohibited.**

END OF REPORT